



**TECHNORAILL®**

100% Modular Railing System

Aluminium Railing Systems  
Stainless Steel Glass Railing Systems  
Stainless Steel Baluster Railing Systems





COUNTLESS  
POSSIBILITIES.

With a  
profound dedication  
to *transforming spaces*,  
converting the mundane  
into the *remarkable*,  
each structure  
narrates a tale.

Technorail®  
products serve as  
the strokes of the  
brush that animate  
this narrative.



# INDEX



Company Profile

PAGE **4**



**TransLine**<sup>®</sup>  
Aluminium Railing  
Systems

PAGE **15**



**TVE**»  
Aluminium Railing  
Systems

PAGE **113**



Glass Stud Railing  
Systems

PAGE **143**



**TVE**»  
Glass Stud Railing  
Systems

PAGE **165**



Balustrade  
Railing Systems

PAGE **189**



**TVE**»  
Balustrade Railing  
Systems

PAGE **247**



Accessories

PAGE **263**




Projects

PAGE **281**



Scan this Code  
to preview our  
entire range





DEGREE • DETAIL • DIMENSIONS



DERIVED WITH PERCEPTION TO  
EVOKE THE SENSES THAT PERSONIFIES  
A SUPERLATIVE FEEL

[WWW.TECHNORAIL.COM](http://WWW.TECHNORAIL.COM)



We embrace life with passion.  
We thrive on the edge.  
We are Technorail.

## RENOWNED FOR STAINLESS STEEL & ALUMINIUM RAILING SYSTEMS EXCELLENCE.

# DRIVING PASSION

When you choose us you have an opportunity to experience the superlative quality products and technical services with the extensive manufacturing experience of more than 19 years.



### *Our Strength*

- Highest Quality of Raw Materials
- Unique Surfaces and Finishes
- Widest range of products
- Innovative designs

### *Our Approach*

- Quality certifications.
- Accurate and precise technical dimensions.
- Expert design team for product design.
- Experienced team of installation engineers.
- Sophisticated manufacturing facilities.
- After sales - support and services.

### *Our Products*

- Aluminium Railing Systems
- Stainless Steel Glass Stud Railing System.
- Stainless Steel Balustrade Systems





## THE VIEW

LESS IS INSPIRING,  
WHILE PRECISION IS  
OUR SUPERIORITY.



We are the bearers of change. We owe it to our leaders who constantly lead us to refreshing ideas. They drive the way we perform and help us deliver under complex situations. We keep the box aside rather than thinking outside the box. Instead we scale our imaginations to greater heights which help us achieve noble products.

The result, a catalogue that's based on international standards with uncompromised attitude.

At Technoraill, we call it  
**'Innovation in Action'**



# CLARITY

STEPPING  
PERFECTION  
FOR THE  
WORLD.

At Technoraill, we believe that people inspire innovation. They initiate changes. Abiding by this, we provide smart design solutions keeping our audience in mind. All our efforts are converged to benefit the people with our dynamic designs and our far-sighted vision.

Our products surpass all quality tests. With superior quality, they are elegantly designed to last long. We also ensure that each design is beautifully crafted to perfection. With perfection, we aspire to compliment our customers' stylish desires. All this and more, to add a smile on every face we come across.

We firmly believe that our well being is completely dependent on the well being of the nature and therefore, utmost care is taken while formulating any of our products.

#### **Energy Management**

We ensure that our plant abides by the norms set by the system. Therefore we have laid special emphasis on designing and constructing it in a way that it conserves maximum energy with minimum wastage.

#### **Water Management**

We work out measures to minimize the water usage as much as possible. Staying alert at all times, each staff member works towards its maximum protection.

#### **Air & Noise Management**

Our factory is well-ventilated and aesthetically designed to reduce pollution. Further, smooth systems for collection and disposal of wastes across every level have been allotted to make it a favourable work place.

We abide by the safety of nature with a no-compromise attitude and look at means to keep it healthy forever.



# VALUES

QUALITY IS  
AN IDENTITY.  
WHY SETTLE FOR  
LESS ?



This design system enabled excellent coating, when applied on aluminium & stainless steel surface forms a thin layer with excellent roll-off behaviour. Technoraill coating is prepared to have smooth, glass-like surfaces which in turn has less contact with dirt and other harmful substances.

The hydrophobic effect give particles like grease, oil, lime and other forms of environmental pollution to adhere less to the substrates, which allows them to be easily cleaned from above the coating, i.e. without applying abrasive agents or chemicals.

An easy clean effect can be obtained without the use of harmful chemicals.

- **Excellent hydrophobicity**
- **Excellent anti-stick properties**
- **Food safe after curing**
- **Aesthetics looks remain as it is**
- **Abrasion-resistance**
- **Resistant to temperature change**
- **Easy to clean using less chemical so as to save water**
- **Chemical-resistant (upto 12 pH)**



Finger  
Marks  
Resistant



Scratch  
Marks  
Resistant



Very  
Smooth  
Surface



UV  
Stable  
Permanent



25 Years  
Finish  
Warranty



No  
Weather  
Effect






  
**TECHNORAIL®**  
 100% Modular Railing System

# TransLine®

Transline 10 S	18
Transline 10 R	22
Transline 20	28
Transline 20 LED	32
Transline 20 RH	34
Transline 30 CL	38
Transline 30 RH CL	42
Transline 50 S	48
Transline 80	52
Transline 90	58
Transline 100	62
Transline CC 108	64
Transline CC 110	66
Transline CC 115	70
Transline CC 115 CL	74
Transline CC 117 AD	78
Transline CC 122	82
Transline CC 125	86
Transline CC 125 CL	90
Transline CC F 125	94
Transline CC 156	98
Transline CC Y 180	102
Transline CC Y 180 LED	106
Transline CC T 120	108





# TransLine® **10 S LED**





## Transline 10 S Side Mounting System

Transline 10S, an elegant aluminium railing system that enhances your home's beauty. Enjoy the stunning view and fresh air from your balcony with its durable glass panels. You'll love this stylish addition to your home.




### APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm upto 21.5mm
<b>Glass Height</b>	: Upto 1220mm

\*Glass Toughen Compulsary.

#### Transline 10 S LED




TL 10 S LED Without Spacer




TL 10 S LED With Spacer

#### Transline 10 S



TL 10 S Without Spacer



TL 10 S With Spacer



# Transline 10 S

Side Mounting System

## System Components



TL 10 S Block



PVC Protection sheet



Base Rubber



Wedge Clip




Wedge


## System Covers



TL 10 S LED Cover



TL 10 S Cover




## Spacer




TL 10 Spacer

## Start & Finish End Caps



TL 10 S LED End Cap




TL 10 S End Cap



# Transline 10 S


Side Mounting System

## Montage Details




Transline 10 S Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.



02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.



05 Rest the glass into the block and fixed it with the plastic wedge. Lock the wedge with the help of wedge clip.



06 Fixed the inside system cover on the innerface of the blocks.



07 System is now complete.



## Transline 10 R Side Mounting System

Transline 10 R is a remarkable mounting system that elevates the beauty of residential spaces, including villas, bungalows, and apartments. With its ability to securely hold glass ranging from 12mm to 17.5mm thick using a block structure, it creates a sophisticated and refined look.




### APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 12mm upto 17.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Compulsary.

#### Transline 10 R LED



#### Transline 10 R





# Transline 10 R

Side Mounting System

## System Components



TL 10 R Block



PVC Protection sheet



Base Rubber




Wedge


## System Covers




TL 10 R LED Cover




TL 10 R Cover



## Start & Finish End Caps



TL 10 R LED End Cap



TL 10 R End Cap

## Spacer




TL 10 R Spacer



# Transline 10 R


Side Mounting System

## Montage Details




Transline 10 R Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.




05 Rest the glass into the block and fixed it with the plastic wedge.



06 Fixed the inside system cover on the innerface of the blocks.



07 System is now complete.



TransLine®  
**20 LED**



# Transline 20 Top Mounting System

Transline 20 is the state-of-the-art top mounting system, takes your outdoor living experience to the next level for your beautiful balconies. Enjoy breathtaking views of the surrounding landscape while customizing your system with a range of cap profile colours, and glass options ranging from 12mm to 16.5mm.



## APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa


<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm upto 16.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Coumpulsary.

### Transline 20 LED




TL 20 Two Side LED



TL 20 One Side LED

### Transline 20





# Transline 20

Top Mounting System

## System Components



TL 20 Block



PVC Protection sheet



Base Rubber



Wedge Clip




Wedge


## System Covers




TL 20 Cover



## Start & Finish End Caps




TL 20 End Cap



# Transline 20


Top Mounting System

## Montage Details




Transline 20 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.




05 Rest the glass into the block and fixed it with the plastic wedge. Lock the wedge with the help of wedge clip.



06 Lock the wedge with the help of Allen bolt and clip.



07 Fixed the inside system cover on the innerface of the blocks.



08 System is now complete.



# Transline 20 LED

Top Mounting System

## System Components



TL 20 Block



PVC Protection sheet



Base Rubber



Wedge Clip





Wedge


## System Covers




TL 20 LED Cover




TRA PR - 083 LED Channel




## Start & Finish End Caps



TL 20 Both Side LED End Cap




TL 20 One Side LED End Cap




# Transline 20 LED

Top Mounting System


## Montage Details




TransLine 20LED Elevation. All dimensions are in mm.  
Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Put the LED Channel in-between two blocks.



04 Rest the glass packing into the blocks on straight side.




05 Fixed the outside system cover on the outer face of the blocks.




06 Fixed the outside system cover on the outer face of the blocks.



07 Put the LED Light.



08 Fixed the inside system cover on the innerface of the blocks.



09 System is now complete.



# Transline 20 RH Top Mounting System

Transline 20 RH a robust top mounting system for public spaces. Its polished finish and sturdy construction adds sophistication and strength to any floor, making it ideal for businesses seeking high-quality flooring.




## APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 12mm upto 17.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Compulsary.

### Transline 20 RH LED




TL 20 RH Two Side LED



TL 20 RH One Side LED

### Transline 20 RH





# Transline 20 RH

Top Mounting System

## System Components



TL 20 RH Block



PVC Protection sheet



Base Rubber



Wedge Clip



Wedge


## System Covers




TL 20 RH LED Cover




TL 20 RH Cover




## Start & Finish End Caps



TL 20 RH LED End Cap



TL 20 RH End Cap




TL 20 RH One Side LED End Cap



# Transline 20 RH


Top Mounting System

## Montage Details




Transline 20 RH Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.




05 Rest the glass into the block and fixed it with the plastic wedge.



06 Lock the wedge with the help of Allen bolt and clip.



07 Fixed the inside system cover on the innerface of the blocks.



08 System is now complete.



**Transline 30 CL** Concealed System


Transline 30 CL is a concealed system product designed to enhance the visibility of glass. The railing provides both strength and durability and can contribute to creating a creative space in a home.

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm upto 16.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Coumpulsary.



Transline 30 CL







# Transline 30 CL

Concealed System


## System Components



## System Covers




## Channels




# Transline 30 CL

Concealed System

## Montage Details




Transline 30 CL Elevation. All dimensions are in mm.  
Note: Transline block spacing and glass measurements may vary as per site situation.





## Transline 30 RH CL Concealed System

Experience the enhanced visibility of glass with Transline 30 RH CL, a concealed system product that combines strength and durability to create a creative space in your home.



### APPLICATIONS

<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 12mm upto 17.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Compulsary.



Malls



Airports



Hospitals




High-Rise Building



Villa

### Transline 30 RH CL





# Transline 30 RH CL

Concealed System

## System Components



TL 30 RH CL Block



PVC Protection sheet



Base Rubber



Wedge Clip




Wedge

## System Covers




TL 30 RH CL System Cover



## Channels




TL 30 RH CL U Channel



# Transline 30 RH CL


Concealed System

## Montage Details



Transline 30 RH CL Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.



01 Put U Channel in depth area.




02 System blocks placed on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.




05 Rest the glass into the block and fixed it with the plastic wedge.



06 Lock the wedge with the help of Allen bolt and clip.



07 Fixed the inside system cover on the innerface of the blocks.



08 System is now complete.



**TransLine®**  
**50 S LED**



# Transline 50 S Top Mounting System

Transform your home into a luxurious sanctuary with Transline 50, a premium mounting system that is renowned for its durability and safety. Experience unobstructed views and enhance the aesthetic appeal of your living space with its sleek LED feature.




## APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm upto 21.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Coumpulsary.

### Transline 50 S LED




TL 50 S Two Side LED



TL 50 S One Side LED

### Transline 50 S





# Transline 50 S

Top Mounting System

## System Components



TL 50 S Block



PVC Protection sheet



Wedge Clip



Wedge




Base Rubber


## System Covers




TL 50 S LED Cover




TL 50 S Cover




## Start & Finish End Caps



TL 50S Two Side LED End Cap



TL 50 S End Cap




TL 50 S One Side Led End Cap



# Transline 50 S


Top Mounting System

## Montage Details




Transline 50 S Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.



05 Rest the glass into the block and fixed it with the plastic wedge. Lock the wedge with the help of wedge clip.



06 Fixed the inside system cover on the innerface of the blocks.



07 System is now complete.



## Transline 80 Top Mounting System

Introducing Transline 80, the ultimate balcony top mounting system that brings ocean vibes to your living spaces. With sleek design and uninterrupted views, it adds a touch of luxury to your balcony. Transform your space into a serene oasis with Transline 80.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm & 16.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Coumpulsary.

### Transline 80





# Transline 80

Top Mounting System

## System Components



TL80 Block



PVC Protection sheet



Base Rubber




Wedge

## System Covers




TL 80 Cover



TL 80 Cover

## Start & Finish End Caps




TL 80 End Cap



# Transline 80


Top Mounting System

## Montage Details




Transline 80 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System blocks place on align profile with desired distances. Fix the blocks with fasteners.




03 Rest the glass packing into the blocks on straight side.




04 Fixed the outside system cover on the outer face of the blocks.




05 Rest the glass into the block and fixed it with the plastic wedge. Lock the wedge with the help of wedge clip.



06 Fixed the inside system cover on the innerface of the blocks.



07 System is now complete.



**TransLine<sup>®</sup>**  
**90 LED**





# Transline 90 Side Mounting System

Transline 90 is a side installation solution designed specifically for staircases found in various locations, such as malls, airports, and resorts to provide a sophisticated and high-quality atmosphere.





## APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: 12mm upto 21.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Coumpulsary.

### Transline 90 LED





TL 90 LED Without Spacer




TL 90 LED With Spacer

### Transline 90



TL 90 Without Spacer




TL 90 With Spacer




# Transline 90

Side Mounting System

## System Components




## System Covers



## Spacer




## Start & Finish End Caps



# Transline 90


Side Mounting System

## Montage Details




Transline 90 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




Mark the points as per measurements and then drill on the marked points with drilling machine.




System blocks place on align profile with desired distances. Fix the blocks with fasteners.




Rest the glass packing into the blocks on straight side.




Fixed the outside system cover on the outer face of the blocks.



Rest the glass into the block and fixed it with the plastic wedge. Lock the wedge with the help of wedge clip.



Fixed the inside system cover on the innerface of the blocks with the help of double side gum tape.



System is now complete.



**Transline 100** Top Mounting System (for Curved Area)

Transline 100 is a versatile curved area Top Mounting system designed for use in bungalows, villas, apartments, and more. Elevate the appearance of your outdoor space with a sleek curvature, allowing you to appreciate the beauty of your surroundings in style.




<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 12mm upto 16.5mm
<b>Glass Height</b>	: As per height situation

\*Glass Toughen Coumpulsary.



**Montage Details**



**Transline 100**





## Transline CC 108 Top Mounting System

Transline CC 108 is a top mounting system is the model used in prestigious spaces. You are sure to love every moment spent, after the stunning look of the finished space.




### APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 12mm upto 13.5mm
<b>Glass Height</b>	: Upto 1200mm

\*Glass Toughen Compulsary.

### Transline CC 108



### Montage Details





## Transline CC 110 Top Mounting System

Transline CC 110 The ultimate balcony top mounting system that brings you closer to the luxury! Haul up your living spaces with the sleek and modern design of our inward leaning glass, giving you uninterrupted views and a touch of luxury.




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 19.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Coumpulsary.



### Transline CC 110






# Transline CC 110

Top Mounting System

## System Components



TL CC 110 Block



Packing Sheet




PVC Protection Sheet



Wedge

## Start & Finish End Caps




TL CC 110 End Cap




# Transline CC 110

Top Mounting System


## Montage Details




Transline CC 110 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.



06 System is complete.



## Transline CC 115 Top Mounting System

The Transline CC 115 is a remarkable mounting system that instills a sense of reliability and trust. It is a popular choice for commercial spaces such as malls, airports, and high-rise buildings, where it creates a captivating ambiance.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa


<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 19.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.

### Transline CC 115



TL CC 115 Without LED



TL CC 115 With LED




# Transline CC 115

Top Mounting System

## System Components



TL CC 115 Block



Packing Sheet



PVC Protection Sheet




Wedge

## System Covers




TL CC 115 System Cover




TL CC 115 LED Cover



## Start & Finish End Caps



TL CC 115 End Cap




TL CC 115 LED End Cap



# Transline CC 115


Top Mounting System

## Montage Details




Transline CC 115 Elevation. All dimensions are in mm.


Note: Glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with help of fasteners




03 Rest the glass pacing into the channel on straight side.




04 Fixed the outside system cover on the outer face of the channel



05 Rest the glass into the channel and fixed it with the plastic wedge



06 Fixed the inside system cover on the innerface of the channel



07 System is now complete.



## Transline CC 115 CL Concealed System

The Transline CC 115 CL is a concealed mounting system that instills a sense of reliability and trust. It is a popular choice for commercial spaces such as malls, airports, and high-rise buildings, where it creates a captivating ambiance.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 19.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.

### Transline CC 115 CL






# Transline CC 115 CL

Concealed System

## System Components



TL CC 115 CL Block



Packing Sheet



PVC Protection Sheet




Wedge



## System Covers



TL CC 115 CL U Channel




Inside - Outside Cover



# Transline CC 115 CL

Concealed System


## Montage Details




Transline CC 115 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.



01 Put U Channel in depth area.




02 System channel place on align profile. and fix with fasteners.




03 Rest the glass packing into the channel on straight side




04 fixed the outside system cover on the outer face of the channel



05 Rest the glass into the channel and fixed it with the wedge.



06 Fixed the inside system cover on the Innerface of the channel.



07 System is now complete.





**Transline CC 117 AD** Top Mounting System

Elevate your office vibes with the Transline CC 117 AD top mounting system. Whether it's the sleek lobby, modern staircase, or chic poolside.




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 17.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.



Adjustable Glass System

**Transline CC 117 AD**



Adjustable Glass System



# Transline CC 117 AD

Top Mounting System

## System Components

### COMPONENTS



Transline CC 117 AD Block




Packing Sheet




PVC Protection Sheet

## Start & Finish End Caps




Transline CC 117 AD End Cap



# Transline CC 117 AD


Top Mounting System

## Montage Details




Transline CC 117 AD Elevation. All dimensions are in mm.


Note: Glass measurements may vary as per site situation.



01 Marked the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel is placed on liner surface area with the help of fasteners.



03 Rest the glass packing inside against the external side of the channel.




04 Fixed the outside epdm on the outer face of the channel



05 Rest the glass into the channel and fixed it with the adjustable wedge.



06 Fixed the inside epdm on the inner face of the channel



07 System is now complete.



## Transline CC 122

Top Mounting System

Transline CC 122 adds a touch of elegance to elevation. Bring on the aesthetic appeal, upgrade your space, to set a new standard of style.



<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 21.5mm
<b>Glass Height</b>	: use up to 1200mm

\*Glass Toughen Compulsary.



Malls



Airports



Hospitals




High-Rise Building



Villa

### Transline CC 122






# Transline CC 122

Top Mounting System

## System Components



Transline CC 122 Block



Packing Sheet




PVC Protection Sheet




Adjustable Wedge

## Start & Finish End Caps




Transline CC 122 End Cap



# Transline CC 122


Top Mounting System

## Montage Details




Transline CC 122 Elevation. All dimensions are in mm.


Note: Glass measurements may vary as per site situation.



01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with help of fasteners




03 Rest the glass panning into the channel on straight side.




04 Fixed the outside EPDM on the outer face of the channel



05 Rest the glass into the channel and fixed it with the adjustable wedge



06 Fixed the inside EPDM on the innerface of the channel



07 System is now complete.



## Transline CC 125 Top Mounting System

Experience the beauty of Transline CC 125, the top mounting system that adds a touch of prestige to any space. The finished look will leave you in awe and make every moment spent in the space unforgettable.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa


<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 17.5mm up to 25.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.

### Transline CC 125



TL CC 125 Without LED



TL CC 125 With LED




# Transline CC 125

Top Mounting System

## System Components



Transline CC 125 Block



Packing Sheet



PVC Protection Sheet




Wedge

## System Covers




TL CC 125 System Cover




TL CC 125 LED Cover



## Start & Finish End Caps



TL CC 125 End Cap




TL CC 125 LED End Cap



# Transline CC 125


Top Mounting System

## Montage Details




Transline CC 125 Elevation. All dimensions are in mm.

Note: Glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with help of fasteners




03 Rest the glass pacing into the channel on straight side.




04 Fixed the outside system cover on the outer face of the channel



05 Rest the glass into the channel and fixed it with the plastic wedge



06 Fixed the inside system cover on the innerface of the channel



07 System is now complete.



**Transline CC 125 CL** Concealed System


Upgrade your space with Transline CC 125 CL - the ultimate balcony, lobby, and poolside concealed mounting system. The top notch quality and craftsmanship will transform your property's appearance and boost its value.

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 17.5mm up to 25.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.



Transline CC 125 CL






# Transline CC 125 CL

Concealed System

## System Components



TL CC 125 CL Block



Packing Sheet



PVC Protection Sheet




Wedge


## System Covers



TL CC 125 CL U Channel




Inside - Outside Cover




# Transline CC 125 CL

Concealed System


## Montage Details




Transline CC 125 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.



01 Put U Channel in depth area.




02 System channel place on align profile. and fix with fasteners.




03 Rest the glass packing into the channel on straight side




04 fixed the outside system cover on the outer face of the channel



05 Rest the glass into the channel and fixed it with the wedge.



06 Fixed the inside system cover on the Innerface of the channel.




07 System is now complete.



## Transline CC F 125 Top Mounting System

Enhance the ambiance of your workplace with the Transline CC F 125 top mounting system. Whether it's the stylish reception area, modern lobby, or trendy poolside, elevate your surroundings.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building






Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 17.5mm up to 25.52mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.

### Transline CC F 125






# Transline CC F 125

Top Mounting System

## System Components



TL CC F 125 Block



Packing Sheet



PVC Protection Sheet




Adjustable Wedge


## System Covers




TL CC F 125 System Cover




## Channels



Inside - F Cover



## Start & Finish End Caps




TL CC F 125 End Cap



# Transline CC F 125


Top Mounting System

## Montage Details



Transline CC F 125 Elevation. All dimensions are in mm.

Note: Glass measurements may vary as per site situation.



01 Marked the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with the help of fasteners.



03 Rest the glass packing inside against the external side of the channel.



04 Fixed the outside system cover on the outer face of the channel.



05 Rest the glass into the channel and fixed it with the adjustable wedge.



06 Fixed the inside system L cover on the innerface of the channel



07 Fixed the inside system F cover on the innerface of the channel



08 System is now complete.



## Transline CC 156 Top Mounting System

Introducing Transline CC 156, the premier balcony top mounting system that brings a touch of the ocean to your living spaces. With its sleek design and uninterrupted views, it adds a touch of luxury to your balcony.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 17.5mm up to 28.52mm
<b>Glass Height</b>	: use up to 2000mm

\*Glass Toughen Compulsary.

### Transline CC 156






# Transline CC 156

Top Mounting System

## System Components



TL CC 156 Block



Packing Sheet



PVC Protection Sheet




Adjustable Wedge


## System Covers



TL CC 156 System Cover



## Start & Finish End Caps




TL CC 156 End Cap




# Transline CC 156

Top Mounting System


## Montage Details




Transline CC 156 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with help of fasteners




03 Rest the glass panning into the channel on straight side.




04 Fixed the outside EPDM on the outer face of the channel



05 Rest the glass into the channel and fixed it with the adjustable wedge



06 Fixed the inside EPDM on the innerface of the channel



07 System is now complete.



# Transline CC Y 180 Side Mounting System

The Transline CC Y 180 side mounting product showcases how simplicity can enhance our daily lives. Its external cover profile adds a professional and tasteful decor, elevating its overall appeal.




## APPLICATIONS




<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 17.5mm up to 21.5mm
<b>Glass Height</b>	: use up to 1500mm

\*Glass Toughen Compulsary.

### Transline CC Y 180



### Transline CC Y 180 LED






# Transline CC Y 180

Side Mounting System

## System Components



TL CC Y 180 Block



Packing Sheet



PVC Protection Sheet



Adjustable Wedge


## System Covers



TL CC Y 180 System Cover



TL CC Y 180 LED System in side cover



## Start & Finish End Caps




TL CC Y 180 End Cap



# Transline CC Y 180


Side Mounting System

## Montage Details




Transline CC Y 180 Elevation. All dimensions are in mm.


Note: Glass measurements may vary as per site situation.



01 Marked the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel place on align profile and fixed it with fasteners.



03 Rest the glass packing inside against the external side of the channel.




04 Fixed the outside system cover on the outer face of the channel.



05 Rest the glass into the channel and fixed it with the adjustable wedge.



06 Fixed the inside system cover on the innerface of the channel.



07 System is now complete.




## Transline CC Y 180 LED

Side Mounting System

### System Components



TL CC Y 180 LED Block



Packing Sheet



PVC Protection Sheet




Adjustable Wedge


### System Covers




TL CC Y 180 LED System Cover



TL CC Y 180 LED System in side cover



### Start & Finish End Caps




TL CC Y 180 LED End Cap



## Transline CC Y 180 LED


Side Mounting System

### Montage Details




Transline CC Y 180 LED Elevation. All dimensions are in mm.


Note: Glass measurements may vary as per site situation.




01 Marked the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel place on align profile and fixed it with fasteners.



03 Rest the glass packing inside against the external side of the channel.



04 Fixed the outside system cover on the outer face of the channel.




05 Put the LED light & cover with diffuser



06 Rest the glass into the channel and fixed it with the adjustable wedge.



07 Fixed the inside system cover on the innerface of the channel.



08 System is now complete.



## Transline CC T 120 Side /Top Mounting System

This Transline CC T 120, mounted on the side-top, boasts a remarkably unique and innovative design, promising to enhance your elevation with an enviable aesthetic—a delightful surprise for any designer.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Heavy or Extra Heavy
<b>Glass Thickness</b>	: 12mm up to 19.5mm
<b>Glass Height</b>	: Use Up Upto 1500mm

\*Glass Toughen Compulsary.

### Transline CC T 120






# Transline CC T 120

Side /Top Mounting System

## System Components



TL CC T 120 Block



Packing Sheet




PVC Protection Sheet



Adjustable Wedge

## Start & Finish End Caps




TL CC T 120 End Cap



# Transline CC T 120

Side /Top Mounting System


## Montage Details




Transline CC T 120 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.



01 Mark the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel is placed on liner surface area with help of fasteners




03 Rest the glass packing inside against The external side of the channel



04 Rest the glass into the channel & fixed it with The adjustable wedge



05 Fixed the outside epdm on the outer face of channel



06 System is now complete.



  
**TECHNORAILL®**  
100% Modular Railing System



TVE 60	114
TVE 60 N	116
TVE CC 81	118
TVE CC 84	122
TVE CC 105	126
TVE CC F 105	130
TVE CC 110	134
TVE CC 120	138





# TVE 60 Top Mounting System

The Transline 60 is unique curved designed glass railing system enhances modern corporate spaces with elegance, perfect for lobbies, stairs, decks, or pools.





## APPLICATIONS

<b>Color</b>	: Multiple
<b>Use</b>	: Medium
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: Upto 1000mm

\*Glass Toughen Compulsary.




### TVE 60




TL CC 108 END CAP


### Montage Details




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on linear surface area with the help of fasteners.



03 Put the glass packing strip into the channel.



04 Rest the glass in the channel and fix the glass with allen key bolt.



05 System is complete.



# TVE 60 N Top Mounting System

TVE 60 N glass railing system adds sophistication to contemporary corporate environments, fitting seamlessly in lobbies, staircases, decks, and pool areas.





## APPLICATIONS



<b>Color</b>	: Multiple
<b>Use</b>	: Medium
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: Upto 1000mm


\*Glass Toughen Compulsary.

### TVE 60 N




TL CC 108 END CAP

### Montage Details



01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on linear surface area with the help of fasteners.



03 Put the glass packing strip into the channel.



04 Rest the glass in the channel and fix the glass with allen key bolt.



05 System is complete.



**TVE CC 81** Top Mounting System

TVE CC 81 is a standout mounting system that enhances the elegance of residential spaces like villas, bungalows, and apartments. Its block structure securely holds glass panels ranging from 12mm to 13.5mm, creating a sophisticated look




<b>Color</b>	: Multiple
<b>Use</b>	: Medium
<b>Glass Thickness</b>	: 12mm & 13.52mm
<b>Glass Height</b>	: Use Up Upto 1000mm

\*Glass Toughen Coumpulsary.



**TVE CC 81**





**TVE CC 81**  
Top Mounting System


System Components



TL CC 81 System Block



Packing Sheet




PVC Protection Sheet



Wedge

Start & Finish End Caps




TVE CC 81 End Cap




**TVE CC 81**  
Top Mounting System

Montage Details




TVE CC 81 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.



06 System is complete.



**TVE CC 84** Top Mounting System

Transline CC 84 is a top mounting system used in balconies, lobbies and pool side. the quality and craftsmanship at the incredible property will change the overall appearance increasing the value of your space.




<b>Color</b>	: Multiple
<b>Use</b>	: Medium
<b>Glass Thickness</b>	: 12mm & 13.5mm
<b>Glass Height</b>	: Use Up to 1000mm

\*Glass Toughen Coumpulsary.



**TVE CC 84**





**TVE CC 84**  
Top Mounting System

System Components



TL CC 84 Block



Packing Sheet




PVC Protection Sheet



Wedge

Start & Finish End Caps




TVE CC 84 End Cap




**TVE CC 84**  
Top Mounting System

Montage Details




TVE CC 84 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.



06 System is complete.



## TVE CC 105 Top Mounting System

Discover heightened transparency with TVE CC 105, a top mounting system offering robustness and endurance, crafting an innovative atmosphere within your living space



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Medium to heavy
<b>Glass Thickness</b>	: 12mm up to 13.5mm
<b>Glass Height</b>	: Up to 1000mm

\*Glass Toughen Compulsary.

### TVE CC 105





**TVE CC 105**  
Top Mounting System

System Components



TVE CC 105 Block



Packing Sheet




PVC Protection Sheet



Wedge

Start & Finish End Caps




TVE CC 105 End Cap




**TVE CC 105**  
Top Mounting System

Montage Details




TVE CC 105 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.



02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.



06 System is complete.



# TVE CC F 105 Top Mounting System

TVE CC F 105 presents an exceptional L-shaped mounting solution, evoking reliability and confidence. Widely favored in commercial settings like malls, airports, and high-rise structures, it lends a captivating aura to the surroundings.



## APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building







Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Medium to heavy
<b>Glass Thickness</b>	: 12mm up to 13.5mm
<b>Glass Height</b>	: Up to 1100mm

\*Glass Toughen Compulsary.

### TVE CC F 105





**TVE CC F 105**  
Top Mounting System


System Components



TVE CC F-105 System Block



Packing Sheet



PVC Protection Sheet




Wedge


System Covers



Inside - Cover



Start & Finish End Caps




TVE CC F 105 End Cap




**TVE CC F 105**  
Top Mounting System

Montage Details




TVE CC F 105 Elevation. All dimensions are in mm.  
Note: Glass measurements may vary as per site situation.



01 Marked the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on liner surface area with the help of fasteners.



03 Rest the glass packing inside against the external side of the channel.




04 Fixed the outside system cover on the outer face of the channel.



05 Rest the glass into the channel and fixed it with the adjustable wedge.



06 Fixed the inside system L cover on the innerface of the channel



07 Fixed the inside system F cover on the innerface of the channel



08 System is now complete.



## TVE CC 110 Top Mounting System

Enhance the ambience of your office using the TVE CC 110 top mounting system. Whether it's the stylish lobby, contemporary staircase, or trendy poolside area, transform your space effortlessly.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Medium to heavy
<b>Glass Thickness</b>	: 12mm up to 17.5mm
<b>Glass Height</b>	: Up to 1000mm

\*Glass Toughen Coumpulsary.

### TVE CC 110






**TVE CC 110**  
Top Mounting System

System Components



TVE CC 110 Block



Packing Sheet




PVC Protection Sheet



Wedge

Start & Finish End Caps




TVE CC 110 End Cap




**TVE CC 110**  
Top Mounting System

Montage Details




TVE CC 110 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.



06 System is complete.



## TVE CC 120 Top Mounting System

Mounted on the top, the TVE CC 120 showcases a distinctive and innovative design, guaranteed to elevate your space with a coveted aesthetic.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Color</b>	: Multiple
<b>Use</b>	: Medium to heavy
<b>Glass Thickness</b>	: 12mm up to 17.5mm
<b>Glass Height</b>	: Up to 1100mm

\*Glass Toughen Compulsary.

### TVE CC 120





**TVE CC 120**  
Top Mounting System


System Components



TVE CC 120 Block



Packing Sheet




PVC Protection Sheet



Wedge

Start & Finish End Caps




TVE CC 120 End Cap




**TVE CC 120**  
Top Mounting System

Montage Details




TVE CC 120 Elevation. All dimensions are in mm.


Note: Transline block spacing and glass measurements may vary as per site situation.




01 Mark the points as per measurements and then drill on the marked points with a drilling machine.




02 System channel is placed on linear surface area with the help of fasteners.




03 Rest the glass packing into the channel on straight side.



04 Rest the glass into the channel and fixed it with the plastic wedge.



05 Fix the EPDM Rubber in the channel.




06 System is complete.



**TECHNORAIL®**  
100% Modular Railing System

## Glass Stud Railing Systems

TRA 61R - 61S	144
TRA 63 S/B	146
TRA 63 HEXA	148
TRA 63 FIN	150
TRA 64 S/B	152
TRA 65 S/R	154
TRA 66 S/B	156
TRA 67 S/B	158
TRA 70 R	160
TRA 71 S	162





## TRA 61R - 61S Side Mounting Stud

The TRA 61R and 61S are innovative stud balustrades designed for installation on the sides of staircases, balconies, and terraces. This railing system with its sleek design and simplicity, not only adds a touch of elegance to your luxurious interiors but also ensures maximum safety.



### APPLICATIONS




<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation


\*Glass Toughen Compulsary.



#### TRA 61 Round



#### TRA 61 Square





## TRA 63 S/B Top Mounting Stud

TRA 63 S/B is a stud balustrade that is installed on the top of exterior staircases and terraces. Its purpose is to support the weight of the glass while also offering a sleek, durable, and visually stunning surface with a unique finish.



### APPLICATIONS

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation



Malls



Airports



Hospitals



High-Rise Building



Villa


\*Glass Toughen Compulsary.



#### TRA 63 Big




For Stair and Balcony



#### TRA 63 - A Round




For Balcony



#### TRA 63 Small



For Balcony





## TRA 63 HEXA Top Mounting Stud

The TRA 63 HEXA is an elegant and sleek top-mounted stud balustrade that adds a touch of class to any project. Its circular design exudes sophistication and provides sturdy support. When installed in high-end projects, it not only enhances the overall aesthetic but also ensures a seamless and polished finish.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm upto 17.5mm
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Coumpulsary.



### TRA 63 Hexa





## TRA 63 FIN Top Mounting Stud

The TRA 63 Fin is a premium stud balustrade designed for high-end outdoor projects. Enhance your scenic view with these robust and round balustrades that provide excellent support for the glass panels.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

TRA 63 Fin





## TRA 64 S/B Side Mounting Stud

TRA 64 S/B serves as a Side Mounting Stud that is commonly utilized for both indoor and outdoor staircases, as well as terraces and balconies. This particular stud boasts a graceful design and provides a secure attachment, resulting in a truly innovative and top-notch finish.



### APPLICATIONS

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation




\*Glass Toughen Compulsary.



TRA 64 Big




For Stair



TRA 64 Small



For Balcony





## TRA 65 S/R Side Mounting Stud

TRA 65 S/R is a side-mounted stud that finds application in high-end projects for both interior and exterior purposes. Amplify the aesthetic appeal of your staircase by incorporating these robust and durable balustrades, which will add a touch of uniqueness and exclusivity to your design.



### APPLICATIONS




<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation


\*Glass Toughen Compulsary.



#### TRA 65 Round



#### TRA 65 Square





## TRA 66 S/B Side Mounting Stud

TRA 66 S/B is serves as a Side Mounting Stud that intensifies the visual appeal of luxurious balconies and staircases. Its sleek and refined design embodies a harmonious blend of sophistication, creativity, and individuality.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm upto 17.5mm
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Coumpulsary.



## APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building




Villa

### TRA 66 Big Adjustable



### TRA 66 Small Adjustable





# TRA 67 S/B Top/Side Mounting

TRA 67 B/S is a balustrade that is mounted on the top and is commonly used in residential and commercial settings for staircases and balconies. Its primary purpose is to offer an unobstructed view of glass, providing a sleek and novel aesthetic to your interiors.



## APPLICATIONS

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation



Malls



Airports



Hospitals



High-Rise Building




Villa

\*Glass Toughen Coumpulsary.




### TRA 67 Big



For Stair

### TRA 67 Small



For Balcony



## TRA 70 R Top & Side Mounting Balustrade

TRA 70 R balustrade is a vogue choice because it constructing top-mounted or side mounted balustrade fits well in staircases in both commercial and residential settings. The TRA 70 R balustrade offers high quality and durability.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Light
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation


\*Glass Toughen Compulsary.



TRA 70/Side



TRA 70/Top





## TRA 71 S Top & Side Mounting Balustrade

The TRA 71 S combines top and side mounting for a balustrade with a square format, adding a rugged charm to your interiors. Infuse your property with a modern aesthetic by incorporating this design.



### APPLICATIONS




<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Light
<b>Glass Thickness</b>	: 10mm & 12mm
<b>Glass Height</b>	: As Per Height Situation


\*Glass Toughen Coumpulsary.



TRA 71/Side



TRA 71/Top





**TECHNORAIL®**  
100% Modular Railing System

**TVE»**

## TVE Glass Stud Railing Systems

TVE 063/B	166
TVE 063/S	168
TVE 070/R	170
TVE 071/40 S (SQUARE)	172
TVE 071/30 S (SQUARE)	174
TVE 072/40 B (SQUARE)	176
TVE 072/30 B (SQUARE)	178
TVE 073 SH	180
TVE 073 BH	182
TVE 067	184





## TVE 063/B Top Mounting Stud

TVE 63/B is a tall type of stud balustrade that is installed on the top of exterior staircases and terraces. It is specifically designed to support the weight of the glass panels, while also offering a sleek and durable surface with a unique finish.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 210mm

\*Glass Toughen Coumpulsary.

TVE 063/B





## TVE 063/S Top Mounting Stud

TVE 63/S is a short stud balustrade that is installed on the top of exterior staircases and terraces. It is specifically designed to support the weight of the glass panels, while also offering a sleek and durable surface with a unique finish.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 125mm

\*Glass Toughen Coumpulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 063/S





## TVE 070/R Top/Side Mounting Stud

TVE 070/R is a top mounting stud balustrade used at high class outdoor projects. Make the most of your view with these sturdy and circular balustrades which offers the finest support to the glass.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 300mm

\*Glass Toughen Coumpulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 070/R





## TVE 071/40 S (SQUARE) Top/Side Mounting Stud

TVE 071/40 S is a top mounting stud square design balustrade used in exterior staircases and terraces. It is designed to take all the weight of the glass while providing a smooth, high strength and brilliance surface with an innovative finish



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 300mm

\*Glass Toughen Coumpulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 071/40 S (SQUARE)





## TVE 071/30 S (SQUARE) Top/Side Mounting Stud

TVE 071/30 S is a top mounting stud square design balustrade used in exterior staircases and terraces. It is designed to take all the weight of the glass while providing a smooth, high strength and brilliance surface with an innovative finish



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 300mm

\*Glass Toughen Coumpulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 071/30 S (SQUARE)





## TVE 072/40 B (SQUARE) Top/Side Mounting Stud

The TVE 072/40 B (SQUARE) is a top mounting balustrade that is specifically designed in a square format to create a bold and striking appearance in your interiors. By incorporating this balustrade, you can add a touch of modernity to your property's interior design.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 450mm

\*Glass Toughen Compulsary.

### TVE 072/40 B (SQUARE)





## TVE 072/30 B (SQUARE) Top/Side Mounting Stud

The TVE 072/30 B (SQUARE) is a top mounting balustrade that is specifically designed in a square format to create a bold and striking appearance in your interiors. By incorporating this balustrade, you can add a touch of modernity to your property's interior design.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 450mm

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

### TVE 072/30 B (SQUARE)





## TVE 073 SH Top Mounting Stud

The TRA 073 SH is a slim stud balustrade that is installed on the top of staircases, balconies, and terraces. It is a contemporary and minimalistic railing system that adds an elegant and simple touch to your luxurious interiors.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 300mm

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 073 SH





## TVE 073 BH Top Mounting Stud

The TRA 073 BH is a slim stud balustrade that is installed on the top of staircases, balconies, and terraces. It is a contemporary and minimalistic railing system that adds an elegant and simple touch to your luxurious interiors.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 450mm

\*Glass Toughen Coumpulsary.

TVE 073 BH





## TVE 067 Top Mounting Stud

TVE 67 is a top mounting stud balustrade used at residential and commercial staircases and balconies to provide an unlimited view of the glass. Its simplicity will give a rich and bold look to your interiors.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: 10mm & 13.5mm
<b>Glass Height</b>	: as per site situation
<b>Stud Height</b>	: 450mm

\*Glass Toughen Compulsary.

TVE 067





## MABL Balustrade Systems

MABL 010	188
MABL 020	190
MABL 030	192
MABL 040	194
MABL 050 R/S	196
MABL 060	198
MABL 070	200
MABL 070-2A	202
MABL 080	204
MABL 090	206
MABL 100	208
MABL 110	210
MABL 130	212
MABL 140	214
MABL 150	216
MABL 160	218
MABL 170	220
MABL 180	222
MABL 190	224
MABL 200	226
MABL 210	228
MABL 220	230
MABL 230	232
MABL 240	234
MABL 250	236
MABL 260	238
MABL 270	240
MABL 280	242
MABL 290	244





## MABL 010 Top/Side Mounting Balustrade System

MABL 010 is an ideal solution for outdoor & indoor applications like balconies, staircases, and decking areas. This top mounting balustrade system adds a touch of sophistication and style to your property. Its rust-free, non-magnetic, and durable design ensures long-lasting beauty and functionality.




### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Coumpulsary.

### MA BL 010 G





## MABL 020 Top/Side Mounting Balustrade System

MABL 020 presents a balustrade system that can be mounted on the top or side, functioning seamlessly in both residential and commercial settings. This exquisite glass fitting balustrade utilizes premium materials, elevating the overall ambiance of your property with a touch of luxury.



### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 020 2R




MA BL 020 3R



MA BL 020 4R



MA BL 020 2R G





# MABL 030 Top/Side Mounting Balustrade System

MABL 030 presents itself as an exuberant balustrade system with a striking design that draws inspiration from international aesthetics. Its curvaceous and bold appearance adds a touch of grandeur to any high-class project, creating an uncluttered and spacious impression.



## APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 030 2R




MA BL 030 3R



MA BL 030 4R



MA BL 030 2R G





## MABL 040 Top/Side Mounting Balustrade System

MABL 040 balustrade system is an elegant and durable option for your property, providing a strong and long-lasting fit. One of its key features is the expansive view it offers of the surrounding area.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building





Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Coumpulsary.

### MA BL 040





## MABL 050 R/S Top/Side Mounting Balustrade System

MABL 050 R/S is an innovative Balustrade System that can be mounted on the top or side of various structures, enhancing the aesthetic appeal of your property. This system is particularly suitable for large surfaces, such as swimming pools and garden fences, providing a sleek and alluring look to the surrounding area.



### APPLICATIONS




<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

#### MABL R 50G Round



#### MABL S 50G Square





## MABL 060 Top/Side Mounting Balustrade System

MABL 060 system is a balustrade system that can be mounted on the top or side. It goes beyond just its appearance and style. This glass balustrade not only looks ingenious and simple, but it also brings in additional light and offers a wider view, thus enhancing the overall ambiance of your interior space.



### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 060 2R




MA BL 060 3R



MA BL 060 4R



MA BL 060 2R G





# MABL 070 Top/Side Mounting Balustrade System

MABL 070 is a balustrade system that can be mounted either on the top or on the side. It is highly recommended for both homeowners and business owners due to its ultra-modern and classy design. This steel balustrade not only adds a touch of opulence but also serves a practical purpose.



## APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 070 2R




MA BL 070 3R



MA BL 070 4R



MA BL 070 2R G





## MABL 070-2A Top/Side Mounting Balustrade System

MABL 070 - 2A represents a balustrade system that can be mounted either on the top or on the side. This system effortlessly combines style, simplicity, and exquisiteness, leaving you captivated by its visually appealing design and refined nature.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy

MA BL 070-2A





## MABL 080 Top/Side Mounting Balustrade System

MABL 080 is a balustrade with a top mounting glass fitting that brings a touch of sophistication to your property. Its design features a glossy or matte finish, which adds to its seamless and sturdy appearance.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Coumpulsary.

#### MA BL 080 G





## MABL 090 Top/Side Mounting Balustrade System

MABL 090 is a glass balustrade that can be mounted on the top or side. It is constructed using high-quality materials and has a smooth, polished finish. Its debonair design makes it a favorite among contemporary customers.



### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 090 2R




MA BL 090 3R



MA BL 090 4R



MA BL 090 2R G





## MABL 100 Top Mounting Balustrade System

MABL 100 presents a robust and expertly constructed Top Mounting Balustrade system, utilizing high-quality materials of superior standards. With meticulous craftsmanship and exquisite polishing, it is perfectly suited for a wide range of projects.



### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 100 2R




MA BL 100 3R



MA BL 100 4R



MA BL 100 2R G





**MABL 110** Top/Side Mounting Balustrade System

MABL 110 presents a Top / Side Mounting Balustrade solution that offers convenient handling and upkeep for staircases, balconies, and other high-end projects. This system escalates the overall aesthetic with its sleek and state-of-the-art design, combining elements of style, simplicity, and sophistication.




<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation



\*Glass Toughen Coumpulsary.

**MA BL 110**





## MABL 130 Top/Side Double Handrail Balustrade System

MABL 130 system is a cutting-edge Side Double Handrail Balustrade solution that stands out as the epitome of modernity and excellence within its category. Its unique design allows for a secure grip on both sides, providing strong and sturdy support.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

#### MA BL 130





## MABL 140 Top Mounting Double Handrail Balustrade System


MABL 140 represents a cutting-edge double handrail balustrade system that offers an aesthetically pleasing solution for both residential and commercial properties. This innovative design not only saves space but also provides exceptional support to the glass panels, ensuring a sleek and sophisticated appearance.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### MA BL 140



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building



Villa



## MABL 150 Top/Side Mounting Balustrade System

MABL 150 is a cutting-edge balustrade system that is specifically engineered to endure rigorous usage, regardless of the prevailing conditions. This exceptional solution offers a contemporary design that is both robust and visually appealing, making it ideal for both commercial and residential environments.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### MA BL 150





## MABL 160 Top/Side Mounting Balustrade System

MABL 160 offers a visually appealing Top Mounting Balustrade system that delivers impressive outcomes. This barrier fitting combines style and strength, allowing you to enjoy the view while ensuring safety.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

\*Glass Toughen Compulsary.

### MA BL 160





## MABL 170 Top/Side Mounting Balustrade System

MABL 170 is a sleek and minimalist Top Mounting Balustrade system. It has been meticulously designed to enrich the aesthetic appeal of any space. With its strong and timeless circular design, this balustrade is sure to make a lasting impression.




### APPLICATIONS



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### MA BL 170





## MABL 180 Top/Side Mounting Balustrade System

MABL 180 is a top-mounted balustrade system known for its exceptional durability and strength. It is resistant to corrosion and rust, ensuring long-lasting quality. Ideal for interior or exterior projects like balconies, terraces, or staircases, it provides the perfect finishing touch.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 190 Top Mounting Balustrade System

MABL 190 is a versatile balustrade system that can be installed on top both indoors and outdoors, allowing for a range of visually appealing effects. Its strong and sturdy construction makes it an ideal choice for balconies, terraces, and staircases.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 200

Top/Side Mounting Balustrade System


MABL 200 is an innovative balustrade system that is mounted on top, offering a modern and trendy solution. With its superior grip, it securely holds the glass panels from all four sides, ensuring both safety and aesthetics. This cutting-edge design provides the best combination of functionality and style in the world of balustrades.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

MA BL 200



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building



Villa



## MABL 210 Top Mounting Balustrade System

The MABL 210 is a revolutionary slim design railing system that is installed on the upper part, providing a contemporary and minimal look. With its exceptional grasp, it firmly supports the glass panels from every direction, guaranteeing both safety and visual appeal



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 220 Top/Side Mounting Balustrade System

The MABL 220 is an innovative and sleek railing system that is mounted on the upper portion, offering a modern and minimalist appearance. With its outstanding grip, it securely holds the glass panels from all sides, ensuring both safety and aesthetic appeal.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.





## MABL 230 Top/Side Mounting Balustrade System

The MABL 230 introduces a durable and skillfully engineered Top Mounting Balustrade system, utilizing top-notch materials of exceptional quality. With its unique twin arm design, it offers a distinctive appearance and strength to securely hold the glass. Enhance the exterior of your space with a bold and masculine aesthetic.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 240 Top/Side Mounting Balustrade System

The MABL 240 presents an exceptional Balustrade system, featuring a twin frame structure crafted from premium materials of unparalleled quality. It offers a distinct visual appeal and robustness to firmly support the glass. Elevate the exterior of your area with a striking and masculine aesthetic.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.





## MABL 250 Top Mounting Balustrade System

MABL 250 showcases a state-of-the-art dual handrail balustrade system that presents a visually appealing option for both residential and commercial properties. This revolutionary concept not only maximizes space but also delivers exceptional stability to the glass panels, guaranteeing a sleek and elegant look.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 260 Top/Side Mounting Balustrade System

The MABL 260 introduces a slim and contemporary railing system that is installed on the upper part, providing a sleek and minimalist look. With its exceptional grip, it firmly supports the glass panels from all sides, ensuring both safety and visual allure.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.





## MABL 270 Top/Side Mounting Balustrade System

The MABL 270 presents a robust and expertly crafted Top Mounting Balustrade system, utilizing premium materials of exceptional caliber. With its one-of-a-kind twin arm design, it provides a distinct visual appeal and robustness to firmly support the glass. Elevate the exterior of your area with a striking and masculine aesthetic.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.

### APPLICATIONS



Malls



Airports




Hospitals



High-Rise Building



Villa





## MABL 280 Top Mounting Balustrade System

The MABL 280 stands as the embodiment of power and resilience, serving as a top-mounted balustrade system celebrated for its unmatched durability and strength. Boasting an impressive glass holding capacity of up to 5ft, it exhibits exceptional resistance against corrosion and rust, ensuring enduring quality.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.





## MABL 290 Side Mounting Balustrade System

The MABL 290, the epitome of power and strength, is a top-mounted balustrade system renowned for its unparalleled durability and robustness. With a remarkable glass holding capacity of up to 5ft, it is highly resistant to corrosion and rust, guaranteeing long-lasting quality.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Gloss / Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Height Situation

\*Glass Toughen Compulsary.





**TECHNORAILL®**  
100% Modular Railing System

**TVE»**

## TVE Balustrade Systems

TVE 040 (SQUARE)	248
TVE 050 (SQUARE)	250
TVE 060/3R	252
TVE 070/3R	254
TVE 080/SQUARE	256
TVE 080/ROUND	258
TVE 090/3R	260





## TVE 040 (SQUARE) Top/Side Mounting Balustrade System

TVE 040 balustrade system is designed for both top and side mounting, providing a robust, elegant, and durable addition to your property. What sets this system apart is its ability to offer a wide view of the surroundings, enhancing the overall aesthetic appeal.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Site Situation

\*Glass Toughen Compulsary.

### TVE 040 (SQUARE)





## TVE 050 (SQUARE) Top/Side Mounting Balustrade System

TVE 050 is a versatile balustrade system for top and side mounting. With its stud-like design, it adds style and desirability to your outdoor space. Ideal for long surfaces like swimming pools and garden fences, it offers a polished view of the opposite surface.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Site Situation

\*Glass Toughen Compulsary.

### TVE 050 (SQUARE)





## TVE 060/3R Top/Side Mounting Balustrade System

The TVE 060/3R a square balustrade system is designed for both top and side mounting, providing a steel railing look that showcases its strength. With its distinctive and robust design, it offers a powerful aesthetic to your space.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

TVE 060 / 3R





## TVE 070/3R Top/Side Mounting Balustrade System

The TVE 070/3R is a round balustrade system with 3 railing options. It is designed for top mounting and features a steel railing look that emphasizes its strength. With its unique and sturdy design, it enhances the visual impact of your space.



### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy

TVE 070/3R





## TVE 080/SQUARE Top/Side Mounting Balustrade System

The TVE 080 is a square top mounting balustrade with a cross-direction stud holder, creating a unique and eye-catching look. Its captivating and innovative design enhances the stylish allure of any contemporary property, making it ideal for stairways, pathways, and balconies.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Site Situation

\*Glass Toughen Compulsary.

### TVE 080/SQUARE





## TVE 080/ROUND Top/Side Mounting Balustrade System

The TVE 080 is a round top mounting balustrade with a cross-direction stud holder, creating a unique and eye-catching look. Its captivating and innovative design enhances the stylish allure of any contemporary property, making it ideal for stairways, pathways, and balconies.



### APPLICATIONS



Malls



Airports



Hospitals



High-Rise Building




Villa

<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy
<b>Glass Thickness</b>	: As Per Requirements
<b>Glass Height</b>	: As Per Site Situation

\*Glass Toughen Coumpulsary.

### TVE 080/ROUND





## TVE 090/3R Top/Side Mounting Balustrade System

The TVE 090/3R is a square top mounting balustrade with a minimal and eye-catching design. It enhances the stylish allure of contemporary properties and is ideal for stairways, pathways, and balconies.



<b>Steel Grade</b>	: 304/316
<b>Finish</b>	: Glossy/Matt
<b>Color</b>	: Multiple
<b>Use</b>	: Medium to Heavy

### APPLICATIONS



Malls



Airports



Hospitals




High-Rise Building



Villa


TVE 090/3R






## HAND PROFILE, GLASS BRACKET & OTHER ACCESSORIES

On Glass Profile With Accessories	264
Hand Profile With Accessories	272
Glass Bracket	275
Wall Bracket & Other Accessories	276
Wedges	277
Packing	278







## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6423  
Material : Aluminium  
Note : Use up to 17.52mm Glass




## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6539  
Material : Aluminium  
Note : Use up to 17.52mm Glass




TRA PR - 6423 Wall Bracket  
Material : Aluminium




TRA PR - 6423 END CAP  
Material : Aluminium




TRA PR - 6423 CORNER  
Material : Aluminium




TRA PR - 6423 JOINTER  
Material : Aluminium




TRA PR - 6539 Wall Bracket  
Material : Aluminium





TRA PR - 6539 END CAP  
Material : Aluminium





TRA PR - 6539 CORNER  
Material : Plastic




TRA PR - 6539 JOINTER  
Material : Plastic




TRA PR 6423 L  
Material : Aluminium  
Note : Use up to 17.52mm Glass




TRA PR - 6539/25G  
Material : Aluminium  
Note : Use up to 25.52mm Glass




TRA PR - 6423 LED Wall Bracket  
Material : Aluminium




TRA PR - 6423 LED END CAP  
Material : Aluminium




TRA PR - 6423 LED CORNER  
Material : Aluminium




TRA PR - 6423 LED JOINTER  
Material : Aluminium




TRA PR - 6539/25G Wall Bracket  
Material : Aluminium



TRA PR - 6539/25G END CAP  
Material : Aluminium





TRA PR - 6539/25G CORNER  
Material : Plastic



TRA PR - 6539/25G JOINTER  
Material : Plastic





## ON GLASS PROFILE WITH ACCESSORIES





**TRA PR - 6540**  
Material : Aluminium  
Note : Use up to 17.52mm Glass




## ON GLASS PROFILE WITH ACCESSORIES




**TRA PR - 4040**  
Material : Aluminium  
Note : Use up to 17.52mm Glass




**TRA PR - 6540 Wall Bracket**  
Material : Aluminium




**TRA PR - 6540 END CAP**  
Material : Aluminium




**TRA PR - 6540 CORNER**  
Material : Aluminium




**TRA PR - 6540 JOINTER**  
Material : Aluminium




**TRA PR - 4040 Wall Bracket**  
Material : Aluminium





**TRA PR - 4040 END CAP**  
Material : Aluminium





**TRA PR - 4040 CORNER**  
Material : Plastic




**TRA PR - 4040 JOINTER**  
Material : Plastic




**TRA PR - 3636**  
Material : Aluminium  
Note : Use up to 17.52mm Glass




**TRA PR - 4242**  
Material : Aluminium  
Note : Use up to 17.52mm Glass




**TRA PR - 3636 Wall Bracket**  
Material : Aluminium




**TRA PR - 3636 END CAP**  
Material : Aluminium




**TRA PR - 3636 CORNER**  
Material : Aluminium




**TRA PR - 3636 JOINTER**  
Material : Aluminium




**TRA PR - 4242 Wall Bracket**  
Material : Aluminium



**TRA PR - 4242 END CAP**  
Material : Aluminium





**TRA PR - 4242 CORNER**  
Material : Plastic



**TRA PR - 4242 JOINTER**  
Material : Plastic





## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6541  
Material : Aluminium  
Note : Use up to 17.52mm Glass




## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6540 LED  
Material : Aluminium  
Note : Use up to 17.52mm Glass




TRA PR - 6541 Wall Bracket  
Material : Aluminium




TRA PR - 6541 END CAP  
Material : Aluminium




TRA PR - 6541 CORNER  
Material : Aluminium




TRA PR - 6541 JOINTER  
Material : Aluminium




TRA PR - 6540 LED Wall Bracket  
Material : Aluminium





TRA PR - 6540 LED END CAP  
Material : Aluminium




TRA PR - 6540 LED CORNER  
Material : Aluminium




TRA PR - 6540 LED JOINTER  
Material : Aluminium




TRA PR - 6540 A  
Material : Aluminium  
Note : Use up to 17.52mm Glass




TRA PR - 6728  
Material : Aluminium  
Note : Use up to 16.52mm Glass




TRA PR - 6540 A Wall Bracket  
Material : Aluminium



TRA PR - 6540 A END CAP  
Material : Aluminium





TRA PR - 6540 A CORNER  
Material : Aluminium



TRA PR - 6540 A JOINTER  
Material : Aluminium





## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6539 S  
Material : Steel  
Note : Use up to 17.52mm Glass




## ON GLASS PROFILE WITH ACCESSORIES




TRA PR - 6540 S  
Material : Steel  
Note : Use up to 17.52mm Glass




TRA PR - 6539 S Wall Bracket  
Material : Steel




TRA PR - 6539 S END CAP  
Material : Steel




TRA PR - 6539 S CORNER  
Material : Steel




TRA PR - 6539 S JOINTER  
Material : Steel




TRA PR - 6540 S Wall Bracket  
Material : Steel





TRA PR - 6540 S END CAP  
Material : Steel




TRA PR - 6540 S CORNER  
Material : Steel




TRA PR - 6540 S JOINTER  
Material : Steel




TRA PR - 6539 SB  
Material : Steel  
Use up to 13.52mm Glass




TRA PR - 6539 SB Wall Bracket  
Material : Steel



TRA PR - 6539 SB END CAP  
Material : Steel




TRA PR - 6539 SB CORNER  
Material : Steel



TRA PR - 6539 SB JOINTER  
Material : Steel




## HAND PROFILE WITH ACCESSORIES



**TRA PR - 080**  
Material : Steel  
Note : 50dia x 1.5mm Thick Hollow | 20 Feet Long




## HAND PROFILE WITH ACCESSORIES




**TRA PR - 081**  
Material : Steel  
Note : 38dia x 1.5mm Thick Hollow | 20 Feet Long


**TRA 054N**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 058 F**  
Finish : Matt/Gloss Grade : 304 - 316




**TRA 054N**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 058 F**  
Finish : Matt/Gloss Grade : 304 - 316




**TRA 054**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 039**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 054**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 039**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 058**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA PR - 003**  
Finish : Matt/Gloss | Grade : 304 - 316



**TRA 058**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA PR - 003**  
Finish : Matt/Gloss | Grade : 304 - 316






## HAND PROFILE WITH ACCESSORIES




**TRA PR - 082**  
Material : Steel  
Note : 16diax1.5mm Thick Hollow | 20 Feet Long


**TRA 002**  
Finish : Matt/Gloss | Grade : 304 - 316



**TRA 055**  
Finish : Matt/Gloss | Grade : 304 - 316




**TRA 053**  
Finish : Matt/Gloss | Grade : 304 / 316




## GLASS BRACKET

**TRA - 062**  
Finish : Matt/Gloss | Grade : 304-316




**TRA - 076**  
Finish : Matt/Gloss | Grade : 304-316




**TRA - 066**  
Finish : Matt/Gloss | Grade : 304-316



**TRA - 073**  
Finish : Matt/Gloss | Grade : 304-316



**TRA - 075**  
Finish : Matt/Gloss | Grade : 304-316






## WALL BRACKET & OTHER ACCESSORIES

TRA - 004

Finish : Matt/Gloss | Grade : 304 - 316




TRA - 059

Finish: Matt/Gloss | Grade: 304-316 | Note: Use Ø38mm Tube




TRA - 074

Finish : Matt/Gloss | Grade : 304-316




TRA - 006

For MABL 040 | Finish : Matt/Gloss | Grade : 304 - 316 | Note : Glass Hole 12mm



TRA - 037


Finish : Matt/Gloss | Grade : 304 - 316 | Note : Use Ø38mm Tube



## WEDGES




Adjustable Wedge




803AW




Plastic Wedge




5008W



7010W L



7012W




7016W




# PACKING




PACKING



7501P




7502P




7503P




1/2mm L PACKING




6001L




6002L




6/10/12mm L PACKING





7501P





7502P



7503P



9002TL



9005SL



  
**TECHNORAIL**<sup>®</sup>  
100% Modular Railing System

## Projects

Projects

282





## Projects

Project Name  
Zak Exhibition Curve Railing - Mumbai

Scan QR  
to See Video



## Projects

Project Name  
Hindva Pallazo - Surat

Scan QR  
to See Video





# Projects

Project Name  
**Hindva The World - Surat**


Scan QR  
to See Video



# Projects

Project Name  
**Sangini House - Surat**

Scan QR  
to See Video





# Projects

Project Name  
**Rajhans Grandezza – Surat**


Scan QR  
to See Video



# Projects

Project Name  
**Montessa – Surat**

Scan QR  
to See Video





## Projects

Project Name  
Royalton - Surat

Scan QR  
to See Video



## Projects

Project Name  
Residence Snehal Shah - Surat





## Projects

Project Name  
**SNS Splendid - Surat**

Scan QR  
to See Video



## Projects

Project Name  
**Executive Heights - Surat**





## Projects

Project Name  
Raghuvir - Surat



## Projects

Project Name  
Sky Textiles India Pvt. Ltd. - Botad

Scan QR  
to See Video






# Projects

Project Name  
**Lakeview Bungalows - Rajkot**



# Projects

Project Name  
**Atlantis - Rajkot**







## Projects

Project Name  
Premium Mall - Kolkata



## Projects

Project Name  
Avani Riverside Mall - Kolkata





## Projects

Project Name  
**Hilite Mall - Kerala**



## Projects

Project Name  
**Residence - Coimbatore**





# Projects

Project Name  
DSR The First - Telangana

Scan QR  
to See Video



# Projects

Project Name  
Fortune One - Telangana

Scan QR  
to See Video







# Projects

Project Name  
GVK Sky City - Telangana



Scan QR  
to See Video



# Projects

Project Name  
Amara Amethyst - Chennai

Scan QR  
to See Video






## Projects

Project Name  
**Amara Aradhya - Chennai**



## Projects

Project Name  
**Unity Amaryllis - Delhi**





## Projects

Project Name  
Office Building - Nonthaburi, Thailand



## Projects

Project Name  
Silom Edge - Bangkok

Scan QR  
to See Video





# Projects

Project Name  
**Bangkok**

Scan QR  
to See Video



# Projects

Scan QR  
to See Video



Project Name  
**DSR Fortune Prime**

Location  
**Telengana**



Project Name  
**DSR The First**

Location  
**Telengana**



Project Name  
**Esmeralda Fortune**

Location  
**Telengana**



Project Name  
**Myscape Courtyard**

Location  
**Telengana**





## Projects

Project Name  
**Myscape MEA**

Location  
**Telengana**



Project Name  
**Navamani Krinss**

Location  
**Telengana**



Project Name  
**Sumanjali**

Location  
**Telengana**



Project Name  
**Taj Resort & Spa Rishikesh**

Location  
**Uttarakhand**



## Projects

Project Name  
**Hindva**

Location  
**Surat**



Project Name  
**SNS Splendid**

Location  
**Surat**




Project Name  
**Globale Textile Market**

Location  
**Surat**



Project Name  
**Sangini House**

Location  
**Surat**



Scan QR  
to See Video





## Projects

Project Name  
**Lakeview Bungalows**



Location  
**Rajkot**

Project Name  
**Atlantis**



Location  
**Rajkot**

Project Name  
**Surat Airport**



Location  
**Surat**

Project Name  
**Ar. Snehal Shah**



Location  
**Surat**



## Projects

Project Name  
**Farm House**




Location  
**Surat**

Project Name  
**Avani Riverside Mall**



Location  
**Kolkata**

Project Name  
**Premium Mall**



Location  
**Kolkata**

Project Name  
**HiLite Mall**



Location  
**Kerala**

Scan QR  
to See Video





## Projects

Project Name  
**De Lapis**



Location  
**Bangkok**

Project Name  
**Apartments**




Location  
**Cameroon**

Project Name  
**Residence**



Location  
**Coimbatore**

Project Name  
**Resort**



Location  
**Bangkok**



## Projects

Project Name  
**The Monolith**



Location  
**Surat**

Project Name  
**Akar Height**



Location  
**Surat**

Project Name  
**Avadh Heliconia**



Location  
**Vapi**

Project Name  
**Avadh Heliconia Green**



Location  
**Vapi**

Scan QR  
to See Video





## Projects

Project Name  
**W BY DSR**

Location  
**Telengana**



Project Name  
**Sonthaliya**

Location  
**Telengana**




Project Name  
**Vertex Kingston Park**

Location  
**Hyderabad**



Project Name  
**Yashoda Hospital**

Location  
**Hyderabad**



## Projects

Project Name  
**Amara Vana**

Location  
**Chennai**



Project Name  
**Voora Ocean**

Location  
**Chennai**



Project Name  
**Signature Global**

Location  
**Delhi**



Project Name  
**Mall Lifestyle**

Location  
**Kadapa**



Scan QR  
to See Video









**TECHNORAIL®**

100% Modular Railing System

A Quality Product by  
**Maruti Architectural Products Pvt. Ltd.**

Plot No. 618, Ena-Gotiya Road, Village: Ena, Ta.: Palsana  
Dist.: Surat 394310, Gujarat (INDIA).



**M** : +91 99250 36952 | +91 95863 36952 | +91 93273 00619

**E** : info@technorail.com | support@technorail.com

Check our apps on



[www.technorail.com](http://www.technorail.com)